

CAST IRON STOVES & FIREPLACES

WOODBURNING • MULTI-FUEL • GAS • ELECTRIC




Fire with Character





The Dovre Range...



Traditional Wood & Multi-fuel Stoves

Pages 08 - 17



Dovre 250

Contemporary Wood & Multi-fuel Stoves

Pages 18 - 41



Sanca

Contemporary Wood & Multi-fuel Cassette Fireplaces

Pages 42 - 45



Zen

Traditional Wood & Multi-fuel Insert & Canopied Fireplaces

Pages 46 - 49



Dovre 2700

Traditional Gas Stoves

Pages 50 - 53



Traditional Electric Stoves

Pages 54 - 57



Dovre 425 Electric



Beautifully Reliable

Each of our stoves and fires begins its life in our foundry. Firing at up to 1500°C, furnaces melt down the raw materials to make high quality cast iron for our products.

Moulded with absolute precision for strength and longevity, the cast iron used in Dovre products has excellent durability and thermal qualities. Radiating heat long after the fire has died, our cast iron stoves and fires retain their shape even after years of use.

Thanks to its versatile nature, cast iron can be crafted into a huge variety of shapes and textures, bringing beauty and presence to your interior whether traditional or contemporary.

Whatever your choice - wood, multi-fuel, gas or electric - your cast iron Dovre stove or fireplace will be built to the uncompromising standards you would expect from our Scandinavian heritage.





Cleanburn & Airwash Systems

Over the decades, Dovre products have been continuously developed to meet the toughest UK & European safety, efficiency, and emission standards. Today, many of our woodburning and multi-fuel stoves, as well as some of our fires, feature our cutting-edge Cleanburn and Airwash systems. This advanced combustion technology minimises environmental impact whilst delivering superb flame visuals with outstanding thermal efficiency.



High Efficiency

All solid-fuel models in this brochure burn wood or multi-fuel with outstanding efficiency, and are rated as either A or A+ energy class appliances according to European energy labelling standards. For more information on individual energy classes, see each appliance's product page.



Urban Area Approved

Our eco-focused approach to stove and fire design means that many models in this brochure are suitable for burning wood in urban areas. Independently tested, 250, Vintage and Sense models are all exempt from DEFRA smoke control restrictions in towns and cities*.



External Air Supply

Many stoves in this brochure can be installed with an external air supply meaning they do not need to draw any air from the room. This potentially negates the need for an additional air vent, therefore minimising drafts.



SIA Ecodesign Ready

All Dovre wood and multi-fuel stoves burn so cleanly, they meet proposed 2022 Ecodesign air quality standards. These low emission products produce minimal levels of carbon monoxide (CO), nitrogen oxide (NOx) organic gaseous compounds (OGCs) and particulates (PMs).



See our stoves being built

Watch our short film to see the typical journey of a Dovre stove, from the molten metal to the finished article:

dovre.co.uk/about-us

*250, Vintage & Sense stoves are approved when fitted with a Smoke Control Kit.





The dovre **difference**...

Wood and Multi-fuel Stoves and Fireplaces

Wood – When wood is burnt the amount of carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. Wood is also a renewable resource, particularly when derived from plantations and cultivated woodland. For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%. This will not only give up to twice the output of freshly felled timber but help avoid a build up of tar in your flue. Hardwood logs are better still, as they will have around twice the calorific value of softwoods of equivalent weight.

Solid fuels – anthracite and manufactured smokeless fuels can be burnt on multi-fuel models which feature a fixed or riddling grate. Please note, however, that bituminous coal or petroleum based fuels must never be used on your stove.

Gas Stoves

All Dovre gas stoves are available with natural gas or LPG and depending on model, feature a highly realistic log effect fire. These high efficiency stoves are available as manual operation but have the option to upgrade to either a standard remote, allowing heat regulation once the pilot light has been lit manually, or a programmable remote with additional thermostatic and timer controls.

Electric Stoves

A Dovre electric stove can be as easy to install as plugging in and switching on! All models feature our unique VeriFl



on! All models feature our unique VeriFlame™ technology with low energy LED illumination and a hand painted fuel bed. The heater is discreetly located underneath and a remote control allows you to adjust the heat in addition to the VeriFlame effects which can run without any heat at all.



Expert Retailer Network & Warranty Information

Dovre products are only available from Expert Independent Retailers who will ensure your stove or fire is both appropriate for your home and fitted correctly. Your Dovre retailer will provide you with a Five Year Warranty for your new stove's castings and a Two Year Warranty on steel parts and gas and electric 'engines' used in stoves and fires. For more information, see page 68.







250

Multi-Fuel Stove





KEY DETAILS

- All cast iron construction
- Multi-fuel
- Airwash systems
- Ecodesign Ready[†]
- Approved for Smoke Control Areas*
- Colour matched enamel flue pipe also available
- Nominal heat output: 4.9kW
- Heat output range: 2 7kW
- High efficiency: up to 77%
- Top or rear flue exit
- Flue diameter: 125mm
- Optional longer legs
- Maximum log length: 33cm
- Weight: 79kg
- Efficiency Class: A+



[†] Subject to HETAS confirmation

PRODUCT CODES

Matt Black multi-fuel with riddling grate and Airwash system DV-250IWH Ivory White enamel multi-fuel with riddling grate and Airwash system

ACCESSORIES

DV250SCKIT Smoke control kit

FINISHES





Traditional Ivory White Matt Black

See page 59 for additional image featuring optional longer legs.



^{*}When fitted with a Smoke Control Kit





425





Multi-Fuel Stove

KEY DETAILS

- All cast iron construction
- Multi-fuel
- Airwash systems
- Ecodesign Ready[†]
- Colour matched enamel flue pipe also available
- Nominal heat output: 8kW
- Heat output range: 2.7 10kW
- High efficiency: up to 83%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 40cm
- Weight: 130kg
- Gas and Electric versions also available, see pages 52 - 53 and 56 - 57

 - Efficiency Class: A+

† Subject to HETAS confirmation

PRODUCT CODES

DV-425 Matt Black multi-fuel with riddling grate and Airwash system DV-425IWH Ivory White enamel multi-fuel with riddling grate and Airwash system

FINISHES





Traditional Matt Black

Ivory White enamel







640WD





Woodburning Stove

KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Ecodesign Ready[†]
- Side door for loading
- Nominal heat output: 9kW
- Heat output range: 3 11kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 158kg
- Efficiency Class: A+



† Subject to HETAS confirmation

PRODUCT CODES

DV-640WD

Matt Black woodburner with Cleanburn and Airwash

FINISHES



Traditional Matt Black









760WD





Woodburning Stove

KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash system
- Ecodesign Ready[†]
- Side door for loading
- Nominal heat output: 11kW
- Heat output range: 3.7 13kW
- High efficiency: up to 80.2%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 60cm
- Weight: 180kg
- Efficiency Class: A+



[†] Subject to HETAS confirmation

PRODUCT CODES

DV-760WD

Matt Black woodburner with Cleanburn and Airwash

FINISHES



Traditional Matt Black











225





Wood Stoves

KEY DETAILS

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Ready[†]
- Nominal heat output: 4.6kW
- Heat output range: 1.7 7kW
- High efficiency: 81%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 125mm
- Maximum log length: 30cm
- Weight: 100kg
- Efficiency Class: A



[†] Subject to HETAS confirmation

PRODUCT CODES

DV-225CBS

Matt Black woodburner with Cleanburn and Airwash systems

FINISHES



Matt Black













SENSE 103





Wood Stove

KEY DETAILS

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Ready[†]
- Nominal heat output: 4.9kW
- Heat output range: 2.3 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Choice of three finishes
- Top or rear flue exit
- Short Leg models available (see pages 20 & 21)
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 105kg 125kg
- Efficiency Class: A



[†] Subject to HETAS confirmation

PRODUCT CODES

DV-SENSE103 Sense 103 with side windows, legs, Cleanburn and Airwash - Matt Black

DV-SENSE103PW Sense 103 with side windows, legs, Cleanburn and Airwash - Pure White enamel

DV-SENSE103GY Sense 103 with side windows, legs, Cleanburn and Airwash - Grey enamel

ACCESSORIES

DV-SENSESZKIT Smoke Control Area Kit

DV-HS-SENSE Heat Shield Kit (see page 61)*

FINISHES







Matt Black Grey enamel Pure White enamel

See page 62 for Grey Enamel finish









^{*} When fitted with a Smoke Control Kit

^{*}The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.





SENSE 113





Wood Stove

KEY DETAILS

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Ready[†]
- Nominal heat output: 4.9kW
- Heat output range: 2.3 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Long Leg models available (see page 18-19)
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 100kg
- Efficiency Class:



[†] Subject to HETAS confirmation

PRODUCT CODES

DV-SENSE113 Sense 113 with short legs, side windows, Cleanburn and Airwash -

Matt Black

DV-SENSE113PW Sense 113 with short legs, side windows, Cleanburn and Airwash -

Pure White enamel

ACCESSORIES

DV-SENSESZKIT Smoke Control Area Kit

DV-HS-SENSE Heat Shield Kit (see page 61)*

*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

FINISHES





Matt Black Pure White enamel









^{*} When fitted with a Smoke Control Kit





SENSE 203





Wood Stove

KEY DETAILS

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Ready[†]
- Nominal heat output: 4.9kW
- Heat output range: 2.3 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Choice of three finishes
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 105kg 125kg
- Efficiency Class: A



† Subject to HETAS confirmation

* When fitted with a Smoke Control Kit

PRODUCT CODES

DV-SENSE203 Sense 203 box mounted, with side windows, Cleanburn and Airwash -

DV-SENSE203PW Sense 203 box mounted, with side windows, Cleanburn and Airwash -

Pure White enamel

DV-SENSE203GY Sense 203 box mounted, with side windows, Cleanburn and Airwash -

ACCESSORIES

DV-SENSESZKIT Smoke Control Area Kit DV-HS-SENSE Heat Shield Kit (see page 61)*

*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

FINISHES







Matt Black enamel

Pure White enamel

Also see image on front cover, pages 7 and 62.













VINTAGE 30





Wood Stove

KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready[†]
- Approved for Smoke Control Areas*
- Nominal heat output: 5kW
- Heat output range: 1.7 7kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 30cm
- Weight: 95kg
- Efficiency Class: A+



[†] Subject to HETAS confirmation

PRODUCT CODES

DV-VIN30 Matt Black woodburner with Cleanburn and Airwash DV-VIN30GY Grey enamel woodburner with Cleanburn and Airwash DV-VIN30PW Pure White enamel woodburner with Cleanburn and Airwash

ACCESSORIES

DV-TBVIN30 Matt Black tablet stand DV-TBVIN30GY Grey enamel tablet stand DV-VINSCKIT Smoke Control Kit

FINISHES



Black









Pure White









^{*} When fitted with a Smoke Control Kit



VINTAGE 35





Wood Stove

KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready[†]
- Approved for Smoke Control Areas*
- Nominal heat output: 7kW
- Heat output range: 2.3 9kW
- High efficiency: up to 83%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 125kg
- Efficiency Class:





[†] Subject to HETAS confirmation

PRODUCT CODES

DV-VIN35 Matt Black woodburner with Cleanburn and Airwash DV-VIN35GY Grey enamel woodburner with Cleanburn and Airwash DV-VIN35PW Pure White enamel woodburner with Cleanburn and Airwash

ACCESSORIES

Matt Black tablet stand DV-TBVIN35 DV-TBVIN35GY Grey enamel tablet stand DV-VINSCKIT Smoke Control Kit

FINISHES









Pure White

Also see picture on page 69









^{*} When fitted with a Smoke Control Kit







VINTAGE 50





Wood Stove

KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready[†]
- Approved for Smoke Control Areas*
- Nominal heat output: 9kW
- Heat output range: 3 11kW
- High efficiency: up to 84%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 155kg
- Efficiency Class:





^{*} When fitted with a Smoke Control Kit

PRODUCT CODES

DV-VIN50 Matt Black woodburner with Cleanburn and Airwash DV-VIN50GY Grey enamel woodburner with Cleanburn and Airwash DV-VIN50PW Pure White enamel woodburner with Cleanburn and Airwash

ACCESSORIES

DV-TBVIN50 Matt Black tablet stand DV-TBVIN50GY Grey enamel tablet stand DV-VINSCKIT Smoke Control Kit

FINISHES



Matt

Black







Pure White enamel











BOLD 300





Wood Stoves

KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready[†]
- Nominal heat output: 7kW
- Heat output range: 2.3 9 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 130kg
- Efficiency Class: A+



[†] Subject to HETAS confirmation

PRODUCT CODES

Bold 300, Matt Black on legs DV-BOLD300PW Bold 300, Pure White enamel on legs DV-BOLD300GY Bold 300, Grey enamel on legs

FINISHES







Black

Pure White Grey

enamel













BOLD 400





Wood Stoves

KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready[†]
- Nominal heat output: 7kW
- Heat output range: 2.3 9 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 145kg
- Efficiency Class: A+



† Subject to HETAS confirmation

PRODUCT CODES

DV-BOLD400 Bold 400, Matt Black DV-BOLD400PW Bold 400, Pure White enamel DV-BOLD400GY Bold 400, Grey enamel

FINISHES







enamel

Pure White Grey enamel

enamel











ROCK 350





Wood Stoves

KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready[†]
- Nominal heat output: 7kW
- Heat output range: 2.3 9 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 110 125kg
- Efficiency Class: A+



[†] Subject to HETAS confirmation

PRODUCT CODES

DV-ROCK350TB DV-ROCK350WB DV-ROCK350TBPW DV-ROCK350TBGY

Rock 350 with tablet stand, Matt Black Rock 350 with wood box, Matt Black Rock 350 with tablet stand, Pure White DV-ROCK350WBPW Rock 350 with wood box, Pure White Rock 350 with tablet stand, Grey Enamel DV-ROCK350WBGY Rock 350 with wood box, Grey Enamel

FINISHES





White



Matt Black

enamel













ROCK 500





Wood Stoves

KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Ready[†]
- Nominal heat output: 9kW
- Heat output range: 3 11 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 50cm
- Weight: 130kg
- Efficiency Class:



† Subject to HETAS confirmation

PRODUCT CODES

DV-ROCK500TB DV-ROCK500WB DV-ROCK500TBGY DV-ROCK500WBGY

Rock 500 with tablet stand, Matt Black Rock 500 with wood box, Matt Black DV-ROCK500TBPW Rock 500 with tablet stand, Pure White DV-ROCK500WBPW Rock 500 with wood box, Pure White Rock 500 with tablet stand, Grey Enamel Rock 500 with wood box, Grey Enamel

FINISHES



Black







Please see page 65 for additional image.











ASTROLINE 3





Wood Stoves

KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash system
- Ecodesign Ready
- External Air Supply
- Nominal heat output: 8kW
- Heat output range: 2.5 10kW
- High efficiency: up to 75%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 158kg 171kg
- Efficiency Class:



Also see image on page 5

PRODUCT CODES

DV-ASTRO3CB/P Matt Black woodburner with pedestal base, Cleanburn and external

combustion air connection

DV-ASTRO3CB/WB Matt Black woodburner with wood store base, Cleanburn and external

ACCESSORIES

DV-HSF3.2 Heat shield (see page 61)*

*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

FINISHES



Matt Black

Please see page 67 for additional image.









ASTROLINE 4





Wood & Multi-fuel Stoves

KEY DETAILS

- All cast iron construction
- Woodburner or multi-fuel versions
- Cleanburn and Airwash systems
- Ecodesign Ready[†]
- External Air Supply
- Nominal heat output: 8kW
- Heat output range: 2.5 10kW
- High efficiency: up to 75%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 168kg 181kg
- Efficiency Class: A



[†] Subject to HETAS confirmation

PRODUCT CODES

DV-ASTRO4CB/P Matt Black coloured woodburner with pedestal base, Cleanburn and external air connection

DV-ASTRO4CB/WB Matt Black coloured woodburner with wood store base, Cleanburn and external air connection

DV-ASTRO4MF/P Matt Black coloured multi-fuel with pedestal base, riddling grate,

Cleanburn and external air connection

DV-ASTRO4MF/WB Matt Black coloured multi-fuel with wood store base, riddling, Cleanburn and external air connection

ACCESSORIES

DV-HSF4.1 Heat shield (see page 61)*

FINISHES



Matt Black







^{*}The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.









ZEN 100



Woodburning Cassette

KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Easy to operate with one air slide
- External air supply
- Nominal heat output: 4.75kW
- Heat output range: 2 7kW
- High efficiency: up to 80%
- Top flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 100kg
- Double sided version also available see pages 44 - 45
- Efficiency Class: A+



FINISHES



Traditional Matt Black

PRODUCT CODES

DV-ZEN100

Matt Black woodburning cassette fire with Cleanburn and Airwash systems



The Zen 100 recessed combustion chamber ensures beautiful flame visuals.









ZEN 102



Double Sided Woodburning Cassette

KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Easy to operate with one air slide
- External air supply
- Nominal heat output: 5kW
- Heat output range: 2 7kW
- High efficiency: up to 80%
- Top flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 115kg
- Single sided version also available see pages 42 - 43
- Efficiency Class: A+



PRODUCT CODES

DV-ZEN102

Matt Black double-sided woodburning cassette fire with Cleanburn and Airwash systems

FINISHES



Matt Black

















2400CB



Woodburning Fireplace

KEY DETAILS

- All cast iron construction
- Cleanburn woodburner
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Removable ash system
- Maximum heat output: 9kW
- High efficiency: up to 72%
- Flue diameter: 188mm
- Weight: 130kg
- Efficiency Class: A



PRODUCT CODES

DV-2400CB

Matt Black woodburner with Cleanburn, Airwash and bi-fold doors

ACCESSORIES

For canopy and side panels see pages 58 & 59

FINISHES















Woodburning Fireplace

KEY DETAILS

- All cast iron construction
- Woodburner
- Suitable for use in smaller inglenooks (with optional steel canopy, base plinth and side panels) or as a built-in fireplace
- Suitable for use with a room heating convection system
- Maximum heat output: 11kW
- High efficiency: up to 77%
- Flue diameter: 186mm
- Weight: 135kg
- Efficiency Class: A



PRODUCT CODES

DV-2700W

Matt Black woodburner with Airwash system

ACCESSORIES

For canopies, base plinths and side panels, see pages 58 & 59

FINISHES









Gas Stoves

KEY DETAILS

- All cast iron construction
- Balanced and Conventional flue with realistic log-effect fire
- Optional remote controls
- High Efficiency: up to 95.4%
- Max. heat output: 3.1kW (CF)/ 3.8kW (BF)
- Ignition system requires no electricity supply
- Top or rear flue exit:125mm (CF)/ 152mm (BF)
- LPG and Natural Gas versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Weight: 50kg (CF)/54.4kg (BF)
- Electric version available, see pages 54 - 55

PRODUCT CODES	FLUE TYPE	GAS TYPE	FUEL EFFECT	ENERGY INPUT	HEAT OUTPUT	EFFICIENCY	EFFICIENCY CLASS
DV541-010	CF	NG	LOGS	4.55KW	3.1KW	75%	Е
DV541-409	CF	LPG	LOGS	4.35KW	3.0KW	75%	Е
DV541-148	BF	NG	LOGS	4.3KW	3.7KW	95.4%*	A*
DV541-503	BF	LPG	LOGS	4.3KW	3.8KW	95.4%*	A*

*When used with Programmable Thermostatic Remote Control CF = Conventional Flue / BF = Balanced Flue

OPTIONAL REMOTE CONTROLS





8455: Standard (Left) 8456: Programmable (Right)

Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.

FINISHES





HIGH EFFICIENCY

Gas Stoves

KEY DETAILS

- All cast iron construction
- Realistic log-effect fire
- Conventional and Balanced flue versions
- Optional remote controls
- High Efficiency: up to 90.1%
- Max. heat output: 5.5kW
- Ignition system requires no electricity supply
- LPG and Natural Gas versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Top or rear flue exit: 125mm (CF) / 152mm (BF)
- Weight: 74kg (CF)/81.5kg (BF)
- Multi-fuel & Electric versions also available, see pages 10 -11 and 56 - 57

PRODUCT CODES	FLUE TYPE	GAS TYPE	FUEL EFFECT	ENERGY INPUT	HEAT OUTPUT	EFFICIENCY	EFFICIENCY CLASS
DV541-124	CF	NG	LOGS	6.6KW	4.6KW	78%	Е
DV541-447	CF	LPG	LOGS	6.4KW	4.8KW	78%	Е
DV541-138	BF	NG	LOGS	6.45KW	5.4KW	90.1%*	B*
DV541-461	BF	LPG	LOGS	6.1KW	5.5KW	90.1%*	B*

Once the pilot has been

*When used with Programmable Thermostatic Remote Control

CF = Conventional Flue / BF = Balanced Flue

OPTIONAL REMOTE CONTROLS



8455:

ignited manually, the Standard remote control allows you to vary the flame height and heat output from your Standard (Left) armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to Programmable (Right) the temperature you select, so that you can wake up or come home to a cosy room and glowing fire.

FINISHES









Electric Stove

KEY DETAILS

- All cast iron construction
- Exceptionally realistic log-effect with hand painted fuel bed
- Choose from three brightness levels using unique VeriFlame technology
- Flame effect can be operated with or without heat output
- Discreetly concealed fan heater with 1kW and 2kW settings
- Requires no flue, hearth or chimney
- Plugs into standard 13amp socket
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
- Weight: 50kg
- Gas version also available, see pages 50 - 51

PRODUCT CODES

DV-280E Matt Black, log-effect fire

FINISHES



Traditional Matt Black



Remote Control Supplied





Highly reflective stove lining



Electric Stove

KEY DETAILS

- All cast iron construction
- Exceptionally realistic log-effect with hand painted fuel bed
- Choose from three brightness levels using unique VeriFlame™ technology
- Flame effect can be operated with or without heat output
- Discreetly concealed fan heater with 1kW and 2kW settings
- All functions operated from remote control
- Requires no flue, hearth or chimney
- Plugs into standard 13amp socket
- Safe to use in most locations around the home or conservatory
- Can be moved from room to room
- Weight: 74kg
- Multi-fuel & Gas versions also available, see pages 10 - 11 and 52 - 53

PRODUCT CODES

DV-425E Matt Black, log-effect fire

FINISHES



Traditional Matt Black





Realistic log-effect fuel bed



Canopies


Plinths & Side Panels

Our range of canopies, plinths & side panels has been specially designed to complement Dovre appliances whether installed freestanding in an inglenook or a recessed fireplace. They are manufactured to the highest standards & help ensure a lifetime of fireside pleasure.

Inglenook Canopies

All dimensions are quoted in millimetres

2700	FIREPLACE					
CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CS1	Small 2700 Canopy*	360	710	410	400	260
DV-CS2	Medium 2700 Canopy	685	900	350	570	300
DV-CS3	Tall 2700 Canopy	1070	900	300	560	290



'COUNTRYMAN' FOR 2700 FIREPLACE

The Traditional 'olde worlde' styled canopy with heavy, more rugged, black studded strap trim

CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CS5	Countryman Canopy	1070	900	300	560	290

2400 FI	IREPLACE					
CODE	DESCRIPTION	HEIGHT	BASE WIDTH	TOP WIDTH	BASE DEPTH	TOP DEPTH
DV-CC1	2400 Canopy	805	755	300	535	260



DV-CS5 COUNTRYMAN DV-CC1

2400 & 2700 Fireplaces

All dimensions are quoted in millimetres

PLINTH

Designed to improve convection on appliances used in freestanding installations, base plinths will also enhance the visual appearance of your fireplace.


CODE	DESCRIPTION	HEIGHT	WIDTH	DEPTH
DV-SBP	2700 Base Plinth (Black)	80	725	485



SIDE PANEL UNITS

For use with freestanding type installations where the sides of the appliance may be exposed to view, for example with an extra wide inglenook.

CODE	DESCRIPTION	HEIGHT	WIDTH	DEPTH
DV-SP2	2700 Side Panel Unit (Black)	740	720	400
DV-SP5	2400 Side Panel Unit (Black)	520	635	400



FL	UE A	ADA	РТО	RS

CODE	DESCRIPTION	FLUE PIPE DIAMETER	
DV-SFA	2700 Flue Adaptor	7 ¹ / ₄ "- 8" (185 - 204)	





Accessories & Stove Care

Care of your Stove or Fireplace

To help you get the best performance from your stove or fireplace and keep it in good condition, inside and out, Stovax (Dovre's distributor in the UK and Republic of Ireland) offers a wide range of cleaning and maintenance products. Stovax also supplies a wide variety of fireplace accessories. Your Dovre retailer will be able to give you full details or you may view the complete range at www.stovax.com.



Contemporary Fire Tools and Steel Log Holders

For more modern interiors, Stovax has developed a range of contemporary fire tools and log holders. That are both sturdy and attractive. These minimalist accessories offer a superb pairing to Dovre's range of contemporary stoves such as the Vintage, Sense and Astroline stoves. See pages 7, 20, 26, 39, 40, 43 and 45 for contemporary tools and log holders in situ.



Fire Screens and HearthGate

Stovax offers a wide range of fire screens that combine looks with practicality. Whether your Dovre appliance is traditional or contemporary in styling, you can find a fire screen that not only complements your stove or fire, but also helps keep you safe. Available in an array of designs and materials, including glass, black steel and brass plated, these fire screens are the perfect companion for your Dovre fire or stove.





Sense and Astroline Heat Shields


Dovre also offer a range of highly effective Heat Shields for the Astroline and Sense stoves.

These fantastic additions reduce the distance to combustible materials at the rear and sides of the stoves as shown below.

The Dovre Heat Shields not only maximise the available space within the room, but they also enable you to accommodate a wider range of materials in your interior design. For further information please speak to your local Dovre retailer.

Distances to combustible materials when fitted with Dovre Heat Shield:

STOVE	DISTANCE FROM REAR	DISTANCE FROM SIDES
Astroline 3CB	100mm	300mm
Astroline 4CB	100mm	400mm
Sense 103 & 113	100mm	500mm
Sense 203	100mm	500mm







Correct Installation

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at **www.dovre.co.uk**


Page 8/9 - 250 Multi-Fuel Stoves




Page 10/11 - 425 Multi-Fuel Stoves




Page 12/13 - 640WD Wood Stove




Page 14/15 - 760WD Wood Stove



Page 16/17 - 225 Wood & Multi-Fuel Stoves




Page 18/19 - Sense 103 Wood Stoves




Dimensions


Page 20/21 - Sense 113 Wood Stoves




Page 22/23 - Sense 203 Wood Stoves




Page 24/25 - Vintage 30 Wood Stoves




Page 26/27 - Vintage 35 Wood Stoves



Page 28/29 - Vintage 50 Wood Stoves




Page 30/31 - Bold 300 Wood Stoves




Correct Installation

A HETAS approved installer should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at www.dovre.co.uk


Page 32/33 - Bold 400 Wood Stoves




Page 34/35 - Rock 350 Wood Stoves




Page 36/37 - Rock 500 Wood Stoves



Page 38/39 - Astroline 3CB Wood Stoves




Page 40/41 - Astroline 4CB Multi-Fuel & Wood Stoves






Dimensions


Page 42/43 - Zen 100 Cassette Fire†




Page 44/45 - Zen 102 Double-Sided Cassette Fire[†]




Page 46/47 - 2400CB Wood Fireplace[†]



Page 48/49 - 2700 Wood Fireplace[†]




Page 50/51 - 280 Gas Stoves



* To end of rear flue spigot. Installation instructions with information on balanced flue configurations are available from www.dovre.co.uk


Page 52/53 - 425 Gas Stoves




Correct Installation

A HETAS approved installer should undertake a site survey prior to purchase and must install any solid fuel Dovre stove or fireplace. Dovre gas stoves must be installed by a Gas Safe registered Engineer. The information on pages 67 to 71 is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at www.dovre.co.uk


Page 54/55 - 280 Electric Stoves





Page 56/57 - 425 Electric Stoves







Further Information

Expert Retailer Network

We take great care to ensure that our stoves and fireplaces are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design; and ensure that you select the most appropriate product for your home. They will also be able to advise on or assist with the installation process as well as help provide any after-sales support and servicing of your appliance that you may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers

Warranty Information

Your Dovre retailer will provide you with a Five Year Warranty for your new stove castings and a Two Year Warranty on steel parts and gas and electric 'engines' used in stoves and fires. The continuation of the warranty is dependent on your appliance being serviced by an appropriately qualified person 12 months after installation and annually thereafter. Please note, these warranties exclude certain consumable and naturally wearing parts such as grates, baffles, firebricks and glass. Full details are on our website at www.dovre.co.uk





Photography and Installation

Please note that, due to studio lighting and the limitations of the printing process, colour reproduction of enamel finishes may vary from actual product. Please consult your Dovre retailer for more accurate colours.

All of the flame pictures shown in this brochure are taken from real fires. Please note however that flame pictures will vary depending on the exact fuel used, flue conditions and surrounding geographical features. Given that building regulations are subject to constant change, some of the photography in this brochure may not comply with the requirements of the latest Building Regulations and you should always check your proposed installation arrangement with your HETAS trained installer before proceeding. Certain settings in this brochure are dependant on the use of heat shields to reduce the required separation from combustible material. When designing your own installation, please observe the minimum distance to combustible materials as stated in the installation instructions.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.

Please note: The operation and appearance of gas appliances depends on variable factors such as the gas pressure supplied.

Product Improvement and Safety Information

Dovre reserves the right to amend any specifications herein or to make any product design changes.

Please note that all parts of these stoves and fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm. Furthermore, by law all installations also require a Carbon Monoxide Monitor be supplied and fitted.



Stovax gratefully acknowledges the assistance of the following companies with photographic settings:

Amos Lighting - www.amoslighting.co.uk • Apple Conservatories - www.appleconservatories.com • Ashore - 01392 477763 • Carpet Right - www.carpetright.com

Debenhams - www.debenhams.com • Eclectique - www.eclectique.co.uk • Fagins Antiques - www.faginsantiques.com • Farmington Stone Fireplaces - www.famington.co.uk

Furniture Village - www.furniturevillage.co.uk • FW Homestores - www.fwhomestores.co.uk • John Lewis - www.johnlewis.com • Just Shutters - www.justshutters.co.uk

McBains Antiques - 01392 366261 • Toby's Antiques - www.tobysreclamation.co.uk • House of Fraser - www.houseoffraser.co.uk • Laura Ashley - www.lauraashley.com

Merchant House Antiques - www.merchanthouseantiques.co.uk • Pedlars - www.pedlars.co.uk • Orange Tree - www.theorangetree.co.uk • Original Style - www.originalstyle.com

Pilgrim Antiques - www.pilgrimantiques.co.uk • Romo - www.romo.com • St Bridget Nurseries - www.stbridgetnurseries.co.uk

The Very Vintage Hire Company - www.veryvintagehire.co.uk • Walls and Floors - www.wallsandfloors.co.uk

Enamelled **Flue Pipe**

For the fully colour coordinated installation of your stove, and optimum performance, we offer high quality enamel coloured flue pipe. However, please note that due to the different production processes we cannot guarantee a perfect match between pipe and stove. The flue pipe diameters required for each model are demonstrated on the product pages.



	STOVAX MATT BLACK	DOVRE BLACK ENAMEL	IVORY WHITE ENAMEL	PURE WHITE ENAMEL
127mm diameter				
305mm (1') straight without door	4500	DV-F512BLK	DV-4500IV	DV-4500PW
610mm (2') straight without door	4501	DV-F524BLK	DV-4501IV	DV-4501PW
915mm (3') straight without door	4502	DV-F536BLK	DV-4502IV	DV-4502PW
305mm (1') straight with door	4504	DV-FD512BLK	DV-4504IV	DV-4504PW
610mm (2') straight with door	4505	-	DV-4505IV	DV-4504PW
915mm (3') straight with door	4506	DV-FD536BLK	DV-4506IV	DV-4506PW
90° bend without door	-	DV-FE590BLK	-	-
90° tee piece with end cap	4516	-	DV-4516IV	DV-4516PW
135° bend without door	4537	-	DV-4537IV	DV-4537PW
135° bend with door	4512	DV-FED545BLK	-	-
Tee + end cap	4516	DV-FT5BLK	DV-4516IV	DV-4516PW
125mm – 150mm increaser	4518	DV-F5-6INCBLK	-	-
152mm diameter				
305mm (1') straight without door	4600	DV-F612BLK	DV-4600IV	DV-4600PW
610mm (2') straight without door	4601	DV-F624BLK	DV-4601IV	DV-4601PW
915mm (3') straight without door	4602	DV-F636BLK	DV-4602IV	DV-4602PW
305mm (1') straight with door	4604	DV-FD612BLK	DV-4604IV	DV-4604PW
610mm (2') straight with door	4605	-	DV-4605IV	DV-4605PW
915mm (3') straight with door	4606	DV-FD636BLK	DV-4606IV	DV-4606PW
90° bend without door	-	DV-FE690BLK	-	-
90° tee piece with end cap	4616	-	DV-4616IV	DV-4616PW
135° bend without door	4637	DV-FE645BLK	DV-4637IV	DV-4637PW





Professional XQ™ Chimney Systems


Stovax (Dovre's distributor in the UK and Republic of Ireland) also offers a comprehensive range of stove and fireplace chimney systems, the Stovax Professional XQTM collection.

Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.

With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQTM range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQTM range carries a 10 year conditional warranty offering complete peace of mind.



For further information or to request a brochure, contact your local retailer or visit www.stovax.com/chimneysystems









United Kingdom & Republic of Ireland distributors for Dovre:

Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF

Solid Fuel Trade Sales tel: 01392 474000 Gas & Electric Trade Sales tel: 01392 261900

Other depts tel: 01392 474011 • Fax: 01392 219932

E-mail: dovre@stovax.com • www.dovre.co.uk

To view the complete range of brochures within the Stovax group, simply scan this code or visit **www.stovax.com**



Paper sourced from sustainable forests and printed using vegetable based inks

Find your retailer



Find your nearest expert retailer by visiting: www.dovre.co.uk/find-a-retailer

Your local Dovre retailer: £3.00



